

# NanaWall Product Comparison

## Acoustical Testing Results – Interior Applications Only

		FOLDING					SLIDING	FRAMELESS	MINIMAL SLIDING	
		NW Acoustical 645		NW Acoustical 545		SL70	SL45	HSW60	PrivaSEE	cero II
STC OF UNIT	MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT	
	WITH SWING PANEL	WITHOUT SWING PANEL	WITH OR WITHOUT SWING PANEL		WITH SWING PANEL	WITHOUT SWING PANEL	WITH OR WITHOUT SWING PANEL	WITH SWING PANEL AT JAMB	WITHOUT SWING PANEL	WITH SWING PANEL REQUIRED AT JAMB
LOWER RANGE	30						9' 6"			
	31			9' 10"						
	32	10' 2"	11' 6"		10' 2"	12'		10' 6"	12'	
	33	10' 2"	11' 6"				9' 6"			10' 6"
	34			9' 10"			9' 6"			10' 6"
	35	10' 2"	11' 6"		10' 2"	12'		10' 6"	12'	
MID RANGE	36	10' 2"	11' 6"		10' 2"	12'		10' 6"	12'	10' 6"
	37	10' 2"	11' 6"	9' 10"						
	38	10' 2"	11' 6"		10' 2"	10' 2"		10' 6"	12'	
	39			9' 10"						
	40	10' 2"	11' 6"							
	41			9' 10"	10' 2"	10' 2"		10' 6"	12'	
42				10' 2"	10' 2"					
HIGH RANGE	43	10' 2" *	11' 6" *					10' 6" *	12' *	13' 1"
	44	9' *	9' 10" *							
	45	8' 10" *	9' 6" *							

\* With head track recessed