

# NanaWall Product Comparison

## Acoustical Testing Results – Interior Applications Only

		FOLDING					SLIDING		FRAMELESS	MINIMAL SLIDING
		NW Acoustical 645		SL70		SL45		HSW60	PrivaSEE	cero II
STC OF UNIT	MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT		MAX. UNIT HEIGHT	MAX. UNIT HEIGHT
	WITH SWING PANEL	WITHOUT SWING PANEL	WITH SWING PANEL	WITHOUT SWING PANEL	WITH SWING PANEL	WITHOUT SWING PANEL	WITH SWING PANEL AT JAMB	WITHOUT SWING PANEL	WITH SWING PANEL REQUIRED AT JAMB	
LOWER RANGE	30				9' 6"	9' 6"				
	32	10' 2"	11' 6"	10' 2"	12'		10' 6"	12'		
	33	10' 2"	11' 6"			9' 6"	9' 6"		10' 6"	13' 1"
	34					9' 6"	9' 6"		10' 6"	
	35	10' 2"	11' 6"	10' 2"	12'					
MID RANGE	36	10' 2"	11' 6"	10' 2"	12'		10' 6"	12'	10' 6"	
	37	10' 2"	11' 6"							
	38	10' 2"	11' 6"	10' 2"	10' 2"		10' 6"	12'		13' 1"
	40	10' 2"	11' 6"							
	41			10' 2"	10' 2"		10' 6"	12'		
	42			10' 2"	10' 2"					
HIGH RANGE	43						10' 6" *	12' *		13' 1"
	44	9' 2" *	9' 10" *							
	45	8' 10" *	9' 6" *							

\* With head track recessed